

**REPORT DOCUMENTATION PAGE**Form Approved  
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE -		3. REPORT TYPE AND DATES COVERED FINAL 15 Oct 90 - 31 Aug 94	
4. TITLE AND SUBTITLE Electroporation of Bacteria and Yeast: An Experimental Study of Molecular Transport				5. FUNDING NUMBERS  DAAL03-90-G-0218	
6. AUTHOR(S) James Weaver					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Massachusetts Institute of Technology				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)  U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211				10. SPONSORING / MONITORING AGENCY REPORT NUMBER  28361.2-LS	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
12 a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited.				12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  <p>This research involves a basic study of electroporation with an emphasis on molecular transport across cell membranes. We have explored a new mechanism for drug delivery, the use of electroporation to move molecules into, across and out of tissues. Electroporation of human skin may provide the basis for greatly enhanced transdermal drug delivery, and for non-invasive "sensing" of biochemicals within the body. Another advance is a new general method for rapidly determining the clonal growth of individual cells. For more details, see attached.</p>					
14. SUBJECT TERMS				15. NUMBER OF PAGES 2	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		20. LIMITATION OF ABSTRACT  UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std. Z39-18  
298-102

20011024 001

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Office of Sponsored Programs  
Massachusetts Institute of Technology  
77 Massachusetts Avenue  
Room E19-750  
Cambridge, MA 02139-4307



2001 SEP 25 AM 10:00  
Mary A. McGonagle  
Contract Administrator  
Telephone (617) 258-8017  
Fax (617) 253-4734  
MAM@MIT.EDU

September 20, 2001

Ms. Mary N. Jackson  
Procurement Technician  
Department of the Army  
Robert Morris Acquisition Center  
Research Triangle Park Contracting Division  
ATTN: AMSSB-ACR (Closeouts)  
P.O. Box 12211  
Research Triangle Park, NC 27709-2211

Subject: Grant No. DAAL03-90-G-0218

Dear Ms. Jackson:

On behalf of our Principal Investigator, Dr. James C. Weaver, enclosed please find a copy of the final technical report that was submitted to the subject grant.

Should you have any questions, please let us know.


Sincerely yours,

A handwritten signature in cursive script that reads "Mary A. McGonagle".

Mary A. McGonagle  
Contract Administrator

Enclosure

2001 SEP 25 AM 10:00



Text for ARO Final Report

1. (leave blank)
2. 05-17-95
3. 05-17-95 Final report: 1 January 1992 - August 31, 1995
4. TITLE AND SUBTITLE: Electroporation of Bacteria and Yeast: An Experimental Study of Molecular Transport
5. FUNDING NUMBERS: DAAL03-90-G-0218
6. AUTHORS: James C. Weaver
7. NAME OF INSTITUTION: Massachusetts Institute of Technology, Cambridge, MA 02139
8. REPORT NUMBER: none
- 7.

LIST OF MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER ARO SPONSORSHIP DURING THIS REPORTING PERIOD, INCLUDING JOURNAL REFERENCES:

The following papers have been submitted

M. R. Prausnitz, A V. G. Bose, A R. S. Langer and J. C. Weaver "Transtissue Molecular Transport due to Electroporation of Skin" Proceedings, The First World Congress for Electricity and Magnetism in Biology and Medicine, Lake Buene Vista, FL, June 14 - 19, 1992, M. Blank and B. Greenenbaum, Eds. (submitted)

B. S. Lau, C. D. Milano, M. R. Prausnitz, R. S. Langer and J. C. Weaver "Quantitative Determination of Molecular Transport Across Erythrocyte Ghost Membranes by Electroporation" Proceedings, The First World Congress for Electricity and Magnetism in Biology and Medicine, Lake Buene Vista, FL, June 14 - 19, 1992, M. Blank and B. Greenenbaum, Eds. (submitted)


E. A. Gift and J. C. Weaver "Cell Survival Following Electroporation: Quantitative Assessment Using Large Numbers of Microcolonies" Proceedings, The First World Congress for Electricity and Magnetism in Biology and Medicine, Lake Buene Vista, FL, June 14 - 19, 1992, M. Blank and B. Greenenbaum, Eds. (submitted)

8. SCIENTIFIC PERSONNEL SUPPORTED BY THIS PROJECT AND DEGREES AWARDED DURING THIS PERIOD:

Weaver, James C.  
Vanu G. Bose

Principal Investigator  
Research Assistant

9. REPORT INVENTIONS (BY TITLE ONLY): None this period



## BRIEF OUTLINE OF RESEARCH FINDINGS

In the course of continuing our basic study of electroporation of microorganisms, with an emphasis on what is important to molecular transport. **we have also explored what may be a "breakthrough" for drug delivery: the use of electroporation with tissue to move molecules into, across and out of tissues. More specifically, electroporation of human skin may provide the basis for greatly enhanced transdermal drug delivery, and for non-invasive "sensing" of biochemicals within the body.**<sup>00</sup> Prausnitz et al Weaver 1992 transtissue molec trans World Congress trrfxioev<sup>00</sup> This is a partial result of ARO's funding of the basic study, and could have major technological applications.

As noted in a previous progress report, "electroporation involves a rapid membrane rearrangement in response to short (e.g microseconds), strong (e.g. 5,000 volt/cm) electric fields, and the resulting membrane openings ("pores") cause tremendous changes in molecular transport across the cell membranes. If the basic mechanism for molecular transport due to electroporation becomes understood, widespread applications in research, biotechnology and medicine are likely."

In a continuing effort to understand molecular transport across cell membranes due to electroporation, we have recently concluded a study using red blood cell ghosts, in which the number of molecules taken up (or released) by individual ghosts was determined. In addition to determining the magnitude of transport, a significant result is the finding that molecular transport plateaus as a function of electric field strength (for a commonly used exponential pulse shape). A preliminary description of this work has been presented, and will be published in the proceedings of the First World Congress for Electricity and Magnetism in Biology and Medicine, and a complete journal article is being prepared.<sup>0000</sup>

Both the tissue electroporation and red blood cell ghost studies have received critical and timely support from ARO. The results of both, and presently ongoing studies, strongly suggest that electroporation will prove to be a phenomenon of major importance to biology, biotechnology and medicine.

Finally, with previous support from ARO, a new general method for rapidly determining the clonal growth of individual cells has been developed.<sup>00</sup> Individual microorganisms are incorporated into gel microdrops (GMDs), exposed to conditions which may affect cell growth, and then the degree of microcolony formation is quantitatively determined. For work with microorganisms GMDs about 20 to 40  $\mu$  in diameter are made from agarose. The GMDs are "diffusionally transparent", capable of gently confining cells upon replication, so that microcolonies are formed. The GMDs are also sufficiently small and robust that they can be handled much like cells, e.g. suspended, pipetted and centrifuged. GMDs also be analyzed by flow cytometry, so that the distribution of microcolony size can be quickly determined, and the distribution of clonal growth within a subpopulation rapidly determined.

Using this "Microdrop Technology", we are continuing to investigate the basic problem of determining the subpopulation of microorganisms which (1) experiences significant electroporative uptake, and (2) survives, as determined by the stringent test of clonal growth. With this in mind, we are using GMDs and fluorescent molecule uptake to see if we can quantitatively determine this critical microbial subpopulation, and the amount of molecular uptake its cells experience. A preliminary report of this effort has been recently submitted.<sup>00</sup>